



CUTTING-EDGE TECHNOLOGY



MOBILE SECURITY ODS 4000S TRAILER

- Intruder Detection and Alerting System
- Multi Level Deterrence
- Mobile Surveillance With Wireless Connectivity
- Solar and Hybrid Powered
- Independent APP or easy connect to all leading VMS
- Cost-effective Security Solution
- Quality guarantee + 2 years Warranty

RAPID DEPLOYMENT SURVEILLANCE SYSTEM

ODS 4000 Mobile surveillance trailer can be deployed in minutes.

SOLAR-POWERED LONG-LASTING BATTERY

Powered by Sun, with durable battery providing 3+ days of battery autonomy.

WIRELESS CONNECTIVITY AND REMOTE HEALTH MONITORING

Standard equipment includes dual SIM rugged 4G Router with WIFI & GPS. An onboard computer provides electrical health of the unit, as well as allows remote software update capability.



Optional Items:

- 5G Router
- Point-2-Point Bridge

24/7 REAL-TIME SECURITY PROTECTION

CALL +1 346-295-8900 | WWW.RISEUPTEC.COM



CUTTING-EDGE TECHNOLOGY

MOBILE SECURITY ODS 4000S TRAILER



NIMBLE AND STOUT

ODS 4000 is highly maneuverable during transportation and allows ease of deployment even in tight spots. And yet with outriggers stretched, the unit is highly stable.

TILT UP MAST WITH OPTIONAL EXTENSION

The optional 3' neck extension allows the total mast height of 15' and secures to the trailer when it is not in use.



SECURITY REINFORCEMENT FOR VARIOUS SITUATIONS

Great for short-term or long-term deployment and can operate independently with built in VMS, as well as tie into existing security infrastructure. Ideally suited for security and monitoring of construction sites, event centers, exploration fields, security outposts, parking lots, and more. It's powered by intelligent recording, night vision, and intruder detection. Blue flashing lights (dusk till dawn), Loud Siren and Red Beacon (triggered by event) as well as Tamper switch (triggered on opening of enclosure) are standard on all ODS 4000S.

Optional Item: 2 Way IP Speaker allowing engagement of monitoring

24/7 REAL-TIME SECURITY PROTECTION

CALL +1 346-295-8900 | WWW.RISEUPTEC.COM

VARIETY OF CONFIGURATIONS AND YET HIGHLY CUSTOMIZABLE




CONFIG 1

- 2 x 25X PTZ 4MP CAMERA - 25X Zoom Smart IR, up to 100m (328ft) IR
- 2 x 4 MP 160° Panoramic View with 2 Lenses, White Light, Built-in Mic/Speaker
- 360° LED LIGHTING



CONFIG 2

- 1 x 25X PTZ 4MP CAMERA - 25X Zoom Smart IR, up to 100m (328ft) IR
- 3 x 4 MP 160° Panoramic View with 2 Lenses, White Light, Built-in Mic/Speaker



CONFIG 3

- 2 x 25X PTZ 4MP CAMERA - 25X Zoom Smart IR, up to 100m (328ft) IR
- 360° LED LIGHTING



CONFIG 4

- 3 x 4 MP 160° Panoramic View with 2 Lenses, White Light, Built-in Mic/Speaker

NOTE: FURTHER CONFIGURATIONS OF CAMERAS, SENSORS, RECORDING AND OTHER DEVICES CAN BE DONE AS PER CUSTOMER SPECIFICATIONS.

NDA COMPLIANT ✓



MOBILE SURVEILLANCE SYSTEM

HIGH-GRADE MOBILE OUTDOOR SECURITY SURVEILLANCE



ODS 4000 S - HYBRID

Hybrid Highlights

Allows long unattended deployment in areas with limited sunlight.

Full automation of starting and stopping of generator to maintain battery charge level for several weeks in heavy overcast and rainy weather.

The onboard computer provides full remote monitoring of electrical health of the unit.

MECHANICAL SPECS

Tow ball Size: 1 7/8"

Length with tongue: 78"

Width (folded condition): 55"

Width (PV extended): 72"

Height (mast extended): 135"

Height (mast with long neck extension): 180"

Height (folded condition): 90"

Weight: 700 ~ 950 Lbs. (variation in models)



CONTACT US

CALL +1 346-295-8900 | WWW.RISEUPTEC.COM

SALES@RISEUPTEC.COM

ADDRESS: 3115 FRY RD., SUITE #503 & 505 KATY, TX 77449